The Effect of Non-Metallic Inclusions on the Strength of Turbine Discs., by P. N. Petrov.

HESTAN, per, Energomashin, Vol VII, No 11, 1961, pp 27-30.

MLL M 8890

Sci - Engr Feb 63

223,567

Bubentsov, A. M. and Polukanin, P. N.
FRICTIONAL POWER LOSSES AND OIL COMSUMPTION IN THE THRUST BEARINGS OF TURBINES.
[1963] [15p] 10refs C. E. Trans. 2699.
Order from OTS or SLA \$1.60 63-24080

Trans. of Energomashinostroenie (USSR) 1961, v. 7, no. 11, p. 34-38.

DESCRIPTORS: Turbines, \*Thrust bearings, Friction, Power, Lubrication, Lubricants.

Factors affecting frictional power losses and oil consumption in two-sided thrust bearings of turbines are considered. The comparative quantitative characteristics obtained by calculation and by various methods for five typical thrust bearings of different dimensions, operating over a wide speed range and at two mean pressure values are quoted. An evaluation of different methods for the calculation of power losses and oil consumption in thrust bearings is given. (Author)

## 63-24080

- 1. Bubentsov, A. M.
- II. Polukanin, P. N. III. CE Trans-2699
- IV. Central Electricity Generating Board (Gt. Brit.)

(Machinery--Machine Parts, TT., .\_.v; 10, no. 12)

Office of Tachelcal Services

APPROVED FOR RELEASE: Tuesday, July 01, 2003

CIA-RDP91-00929R000200570047-7

The Effect on Efficiency of the Shape of the Low-Pressure Bladed Section in a Steam Turbine, by I. I. Kirillov.

RUSSIAN, per, Energomashinostroyeniye, Vol VII, No 12, 1961, pp 1-5.

NLL Ref: 9022.03 1963 (3303) (Loan)

Sci Feb 64

Calculation of a Transverse Cross Section by a Method of fire Characteristics, by G. A. Sokolovskiy, 12 pp.

RUSSIAN, per, Baergounshinostroyeniye, No 12, 1961, po 22-24, 9681645

PT9-TT-62-1730

Sci-Ragr May 63

229,535

Towards Defining & Rational Design for the Flanged Joints in Steam Turbines, by T. Z. Kopp.

RUSSIAN, per, Energomen, Vol VII, no 18, 1061, pp 25-26.

NLL M 3917

Sci - Engr Mur 63

225,411

Stress Concentration in the T-Shaped Tail Connection of Moving Turbine Blades, by Ch. G. Mustafin.

RUSSIAN, per, Energomashimostroyeniye, Vol VII, No 12, 1961, pp 46-67.

NLL Ref: 9022.03 1963 (3306) (Loan)

Sci Feb 64

Some of the New Work Accomplished by the Khartkov Turbogenerator Plant, by M. I. Repkin.

RUSSIAN, per, Energomashinostroyeniye, Vol VII, No 12, 1961, p 48.

NLL Ref: 9022.03 1963 (3307) (Loan)

Sci Feb 64

The Effect of the Height of the Blades on Some of the Characterisites of Single-Row Turbine States, by M. E. Deich, V. A. Baranov.

RUSSIAN, per, Energomashinostroyeniye, Vol VIII, No 1, 1902, pp 6-9.

NLL Ref: 9022.03 1963 (3308) (Loan)


Sci Feb 64

The Calculation of Strength of Flange Joints in Cylinders of Turbines, by P. I. Anson.

RUSSIAN, per, Energomash, Vol VIII, No 1, 1962, pp 2h-29.

MIL M 89 3893

Sei - Engr Mar 63 225,423



The Efficiency of a Cross-Ribbed Curvilinear Diffuser, by V. K. Higay, Candidate of Technica Sciences, & 5 pp.

RUSSIAN, per, Energomash, No 1, 1962, pp 45-46. 9678833

PTD-TT-62-1151

MLL Feb. 902203 1743 (3309) (1.09N)

Sci-Phys, Aero

Dec 62

\$17,567

Peculiarities of Machining Herringbone Surfaces on Turning Cathes, by A. V. Belov.

RUSSIAN, per, Energomash, No 2, 1962, pp 303.

U.K. Atomic Energy Authority Springfields Tr-92

Sei - Engr Jul 62

202,116

ine influence XI of the Products of Combustion of Sulfur-Containing Fuel Distillates on the Concernation Materials of Gas Turbines, by B. V. Losikov, A. D. Fat'yanov, et al., 13 pp.XX

RUSSIAN, per, Energomashinostroyeniye, No 2, 1962, pp 34-37 9679787

FTD-TT-62-1026

Sci-Engr Mar 63 224,706

The Concentration of Stresses During Expansion M in Conditions of Plane and Axisymmetrical Creep Deformation, by A. H. St Crubin.

MUSSIAN, per, Bargomatinostroyeniye, Vol VIII, Bo 3, 1962, pp 18-61.

ML N 5100

229,353

The Technical and Economic Factors Involved in the Manufacture of Steam Turbines, by R. V. Tsukerman.

RUSSIAN, per, Energomashinostrovenive, Vol VIII, No 6, 1962, pp 22-25.

MLL Ref: 9022.03 196; (3357) (loan copy)


Sei Sep 64


Investigating the Last Stages of Condensing Steam Turbines, by B. M. Troyanovskiy, F. V. Kazintsev.

RUSSIAN, per, Energomashinostroyeniye, Vol VIII,
No 3, 1962, pp 26-29.

GLL kef: 9022.03 1963 (3510) (Loan)

Sci
Feb 64





Thermophysical Characteristics of Ordinary and Heavy Water, by P. A. Andreyev, et al.

No 4, 1962, pp 46-48.

U.K.A.B.A. Risley, Tr 271

ੋਵਾਂ - Geophys ээр 62

210,904

APPROVED FOR RELEASE: Tuesday, July 01, 2003 CIA-RDP91-00929R000200570047-7

The Effect of Lacing Wires on the Efficiency of a Turbine Stage, by I. I. Kirillov, R. V. Kuz'michev.

RUSSIAN, per, <u>Energomashinostrosyeniye</u>, Vol VIII, No 5, 1962, pp 1-4.

NLL Ref: 9022.03 1963 (3355) (loan copy?)

Sci Sep 64

Scd\_Phys Feb 69

372,873

A Heat Resistant Cast Chrome Steel, as a Material for the Components of Power Installations With an Operating Temperature of Up to 6000 C, by E. E. Levin, E. N.

RUSSIAN, per, Energomash, Vol VIII, May 1962, pp 24-27.

\*\*BISI 3002

Sci - Min/Metals

sup, no 135

24 Aug 62

NLL R.T. S528.4 1964 (10,541)

THE KHTGZ STEAM TURBINE OF THE SKR-100 TYPE WITH COOLING FOR THE SUPERCRITICAL STEAM PARAMETERS, BY L. A. SHUBENKO-SHUBIN, S. I. OSTROVSKIY, 21 PP.

RUSSIAN, PER, ENERGO-MASHINOSTROYENIYE, NO 6, 1962, PP 4-10:

UPRS 15608

USSR
ECON
SCI - ENGR MASHINOSTROYENIYE 723/
OCT 62

213,458

Fuel Additives, an Effective Means for Poising the Motor Power of Power Installations, by  $\mathbf{p}$ ,  $\mathbf{p}$  Backin of 11 pp.

RUSSIAN, per, Energomash, No 6, 1962, pp 26-28.

FTU-11 62-1931

Sci-Phys Apr 63

227066

Ventitation Losses in a Turbine Stage, by

A. D. Mushoritskiy, 13 pp.

RUSYLAN, per, Energomath, No 5, 1962, pp 29-32, 9668193

FTD-TT-62-1740

Sci-Engr Apr 63

AVA: Fef. Post 23 77/9 (22.66)

(conv.cory)

(DC-1830)

AN INDUSTRYWIDE CONFERENCE ON POWER MACHINE BUILDING, BY V. G. TYRYSHKIN, L. I. PONARSKIY, 6 PP.

RUSSIAN, PER, ENERGOMASHINOSTROYENIYE, NO 6, 1962, P 41.

JPRS 14755

USSR ECON AUG 62

206,201

RADICAL-AXLE HYDRAULIC TURBINE OF A 230,000 KW CAPACITY FOR THE BRATSKAYA GES, BY A. F. VOLKOV, 7 PP.

RUSSIAN, PER, ENERGOMASHINOSTROYENIYE, NO 7, 1962, PP 1-4.

JPRS 16265

SCI - ELECTRONICS

NOV 62

219,770

Damping the Vibrations of Heavy Rotors, by S. I. Sergeyev, 9 pp.
RUSSIAN, per, Bossomashinostruvanive, No 7,
July 1962, pp 16-18.
JPRS 29000

Sci-Engr
Ner 65


Internal Heat Insulation of the Casing of Gas Turbines Type OT-700-5, by L. A. Eugnetosv, B. P. Mironov, 12 pp. RUSSIAN, per Beergomeshinostroyenie, Ho 7, 1962, pp 23-25.

> CIA/FOD XX-1410 Ho Foreign Dissem

Sci - Englir Sept 63

USIB Internal Use Only

344,145



TWENTIETH ANNIVERSARY OF THE BARNAUL BOILER PLANT, BY N. V. PAVLOV, 4 PP.

RUSSIAN, PER, ENERGOMASHINOSTROYENIYA, NO 7, 1962, P 38.

JPRS 15690

USSR ECON SCI-ENGR OCT 62

215,046

CONFERENCE ON THE PROBLEMS OF DEVELOPMEENT, UTILIZATION AND RESEARCH OF MATERIALS FOR UNITS WINTH CAPACITIES OF 300, 500 AND 880M THOUSAND KILOWATTS, BY YE. YE. LEVIN, YE. N. MASALEVO, 3 PP.

RUSSIAN, PER, ENERGOMASHINOSTROYENIYA, NO 7, 1962, PP 39-40.

JPRS 15690

USSR **ECON** SCI-ENGR OCT 62

215,047

PK-39 BOILER UNIT WITH A 950 - TON STEAM GENERATING CAPACITY, BY YU. 1. OKERBLOM, 9 PP.

RUSSIAN, PER, ENERGOMASHINOSTROYENIYE, NO 8, AUG 1962, PP 1-5.

JPRS 16826

SCI - ENGR

**JAN 63** 

219,036

The Aerodynamic Influence of Lacing Wires on the Operation of the Elading in Axial Compressors, by G. A. Khamin.

RUSSIAN, per, Energomashinostroyeniye, Vol VIII, No 8, 1962, pp 16-18.

NLL Ref: 9022.03 1964 (3370) (loan: copy)

Sci Sep 64

The Influence of Low Overlap on Turbine Stage Efficiency, by A. G. Sheinkman.

RUSSIAN, per, Energomashinostroveniye, Vol VIII, No 8, 1962, pp 28-29.

NLL Ref: 9022.03 1964 (3371) (loan copy)

Sci Sep 64

Damage to Steam Turbine Rotors, by I. M. Stepanov.
RUSSIAN, per, Energomashin, 1962, Vol VIII, No VIII, pp 31-32.
NLL 9022.03 1964 (3372) (On Loan)
USSR

USSR Sci-F&P July 65

284,610

GAS TURBINES FOR LARGE-SCALE POWER PRODUCTION AND M THE MAJOR SCIENTIFIC AND TECHNICAL PROBLEMS OF THEIR DEVELOPMENT, BY M. I. KORNEYEV, BUXX D. V. LITVINOV, ET AL, 16 PP.

RUSSIAN, PER, ENERGOMASHINOSTROYENIE, NO 9, 1962, PP 1-5.

JPRS 16634

USSR ECON SCI - ENGR DEC 62

210,264

TURBO - COMPRESSORS FOR PRESSURE CHARGING DIESEL ENGINES, BY M. M. KOVALEVSKIY, YA. M. GUSAK, ET AL, 9 PP.

RUSSIAN, PER, ENERGOMASHINOSTROYENIYE, NO 9, 1962, PP 35-37.

JPRS 16634

USSR ECON SCI - ENGR DEC 62

218,263

The Influence of Supercooling and the Structure of Moist Steam on its Discharge Through Hozzles, by I. I. Kirillov, R. M. Tablonik.

HUBBIAN, per, Energomesh, Vol VIII, No 10, 1962, pp 6-10.

MIL Bef: 5828.4 1962 (5,229) (loan)

Boi - Phys Jul 63 236,102

Condensation of Steam from a Steam-Air Mixture Inside Vertical Channels, by V. A. Rachko. RUSSIAM, per, Energomashinostroeniye, 1962, Vol 8, No 11, pp 24-28. MLL RTS 2588 (On Loan or Purchase)

Aug 65

287,020

Study of the Operation of a Centrifugal Compressor Wheel, by S. A. Anisimov, 19 pp.

RUSSIAN, per, Energomeshinostroyeniye, No 221, 1962, pp 5-16. 9681624

FTD-TT-62-1816

Sci-Engr Way 63

- 24546

The Influence of the Number of Vanes on the Efficiency of the Centrifugal Wheel with a Single-Stage Cascade, by S. A. Anisimov, 24 pp.

MUSSIAN, per, Baergomashinostroyeniye, No 221, 1962, pp 17-31. 9681624

FTD-TT-62-1816

Sci-Bagr May 63

229,547

Study of the Efficiency of Centrifugal Compressor Wask Wheels with a Two-Stage Vane Cascade, by M. I. Kalinina, 25 pp.

RUSSIAN, per, Energomeshinostroyeniye, No 221, 1962, pp 32-46. 9681624

PTD-TT-62-1816

Sci-Engr May 63

229,548


Calculation of Variable Regimes of Cascade Flow, by V. A. Zysin, 12 pp.

RUSSIAN, per, Energomashinostroyeniye, No 221, 1962, pp 103-109. 9581624

PTD-TT-62-1816

Sci-Engr Hay 63


229,549




The Effect of Cavitation Type n the Form of Hydroturbine Separation Characteristics, by L. S. Shmuglyakov.
RUSSIAN, per, Energomashinostryoeniye, No 1, 1963, pp 25-27.
CIA X-7066

July 69

387,226





Investigating the Efficiency of a Cooling System for a Supercritical Steam Turbine Rotor, by D. A. Pereverzev, L. V. Povolotskiy.


RUSSIAN, per, Energomashinostroyeniye, Vol IX, No 4, 1963, pp 9-13.

NLL Ref: 9022.09 1963 (3198) (Loan)

Sci Feb 64

APPROVED FOR RELEASE: Tuesday, July 01, 2003 CIA-RDP91-00929R000200570047-7

Some Results of Model Tests on Francis Hydraulic Turbines, by N. T. Klyuikov.
RUSSIAN, per, Energomashinostroenie, No 4,
1963, pp 35-37.
NTC-71-15593-13G



Effect of Ovality on the Creep Rupture Strength of Bent Tubes, by A. A. Zakharov, A. A. Ivanov.

RUSSIAN, per, Energomashinostroyeniye, Vol IX, No 6, 1963, pp 33-35.


NLL Ref: 9022.09 1963 (3245) (Loan)

Sci Feb 64 CE 36 3246

Determination of the Design Dimensions of the Flexible Connection for Damping Tangential Blade Vibrations, by K. A. Prokofev and Yu. A. Vidyakin. RUSSIAN, per, <u>Energomashin</u>, 1963, Vol IX, No VII, pp 14-16.
NLL 9022.03 1964 (3441 (On Loan)

USSR Sci-F&P July 65

284,605




Dimensiohloss Characteristics of Gas
Turbine Units with Slitted Shafts,
by V. A. Rogova, Tu Reng-yung, 13 pp.
RUSSIAN, per, Energonashinostroyeniye,
No. 8, 1963, 14-17, 9697538
FTD-TT-65-671

Sci-Engr Aug 65

287,039

287,039



THE APRIL 1963 CONFERENCE OF THE POWER-MACHINERY INDUSTRY, BY I. YE. DUBOVSKIY, V G. TYRYSHKIN, ET AL., 9 PP.

RUSSIAN, PER, ENERGOMASHINOSTROYENIYE, NO 8, 1963, PP 38-39.

JPRS 21831

ussr Econ Nov 63

242,107

A Multi-point Switching Device for Investigating the Temperature Fields and Stresses in the Rotating Parts of Turbomachinery, by

H. M. Gorelkin.

RUSSIAN, per, Ruergomashinostroeniye, 1963,
Vol 9, No 9, pp 43-45.

NIL 9022.09 1964 (3625) (On Loan)

Aug 65

287,169

Approximate Calculation of the Natural Frequencies of Vibration of Runners of Francis Hydraulic Turbines, by Ya. A. Aronson, RUSSIAN, per, Energomashinostroenie, No 10, 1963, pp 5-7.

NTC-71-15594-13G

Feb 72


Power Machine Construction Progress, 7 pp.

RUSSIAN, per, Baergomashin, No 10, 1963, p 40.

JPRS 22775

USSR
Beon
Jan 64

247, 087



Tension of Discs of Semi-enclosed
Wheels of Radial Turbines, by Ya. A.
Shustorovich.
RUSSIAN, per, Rnergomashinostroeniye,
1963, No II, pp 18-22.
NLL RTS 2568 (On Loan or Purchase)

TT 64.1937

Aug 65

286,453

Heat Transfer in Labyrinth Seals of Turbine Shafts, by E. P. Dyban, V. Yu. Khavin, 12 pp.

RUSSIAN, per, Emergomashinostroenie, No 12, 1963, pp 8-11.

CIA/FDD XX-1570 NO FOREIGN DISSEM

Sci - Engr Aug 64 USIB Internal Use Only


265,186

Heat Emission of a Disk Rotating in a Housing,
Subject to an Impinging Air Current, by
A. L. Kuznetsov.
RUSSIAN, per, Energomashinostroenie, No 12, 1964,
pp 11-14.
NTC-71-12229-13A

The Measurement of the Luitial Gas Temperature in a GT [Gas Turbine] Based on Indirect Parameters, by S. A. Kantor, L. V. Arsen'gev. 12 pp RKSIAN, per, Energomashinostroveniye, No 12, 1963, pp 12-15.
AIR/FTD/AII-23-718-68

sci/propulsion and fuels may 69

381,257




Choice of Clearances in Fir-Type Gas Turbine Dovetail, by N. Z. Suponitskiy, 7 pp.


MUSSIAN, per, Energomnshinostroyeniye, No 12, 1963, pp 29-31.


CIA/FDD XX-1559 NO FOREIGN DISSEN

Sei - Phys May 64 USIB Internal Use Only

259,081







Paluation of the Steam - Water Flow in a Heated Tube, by G. G. Treshchev.
RUSSIAN, per, Energomashinostroenie, Vol X, No J, 1964, pp 4-7.

AEC-Windscale Th 142
Available on loan only

Sei
Dec 64


Determination of the Frequency of Bending Vibrations in Rotating Twisted Blades, by A. Te. Shneydman, A. V. Treshetsinskiy and L. I. Lupilov, 12 pp. RUSSIAN, per, Energonashinostroyemiye, No 3, 1964, pp 8-12.


-JPRS 29615

Sci-Engr Apr 65

•

278,910





Hethods of Designing Axial Compressors for Stationary Constructions Plants, by F. S. Bedcher, 8 pp.
RUSSIAN, por, Energomethinostroyenive, No 3, 1964, pp 30-32. Ploo240368-W
FTD-HT-23-803-67

Sei/Energy Conv Oct 68 363,395

Effect of the Clearences Between the Casing and the Whele Upon the Efficiency of the Centripetal Gas Turbine, by A. Ye. Zaryankin, N. F. Zatsepin.
RUSSIAN, per, Energomeshinostroyeniye, No 3, 1964, pp 33-35.
NASA TT F-10,450

Sci-Prop and Puels Jan 67

317m,882

Limiting Power of Closed-Cycle Gas Turbines, by V. I. Batishchev, 12 pp. RUSSIAN, per, Energonashinostroyeniye, No 4, 1964, pp 14-16, 9698625 FTD-TT-65-626

Sci - Engr Doc 65

291,927

Vibration of the Eurbine Hlades of Turbocompressors, by Engineer R. S. Daych, 10 pp RIESTAH, per, Energonashinostroyeniye, Ho &, Apr 64, pp 25-27.

JPRS 29718


USBR Sci-Engr.
Apr 65

Reflect of the Fit of Disks and Bushings on the Bunding and the Critical Speed of a Turbine Rotor, by Engr. V. Ya. Kal'mens, 8 pp RISSIAN, per, Energonachinostroyeniye, No 4, Apr 64, pp 28-30.

JPHS 29718

UBSR Sci-Engr Apr 65

279,117



Studying the Nonstationary Mode of Operation of a Cooled Gas Turbine Disk Rotor, by P. I. Korzh, L. V. Povolotskiy, et al, 11 pp. RESIAN, per, Emergomashinostroyeniye, No 5, 1964, pp 6-9. 9698182

Sci-Boar 4 Prop Oct 65

290,238

Aerodynamics and Heat Transfer of a Flat Turbulent Stream Flowing Along a Flat Surface, by A. L. Kuznetsov, A. V. Sudarev, 14 pp. RUSSIAN, per, Energonash, No 6, 1964, pp 8-11. 9699406 FTD-TT-65-1030

Sci - Engr Feb 66

274,782

Single Shafts of the Hydrogenerating Units of the Krasnoiarsk Hydropowerplants, by M. I. Galperin.

RUSSIAN, per, Energomashinostroenie, No 6, 1964, pp 43, 45.


NTC-71-11239-139

Viktor Pavlovich Guri'yev, 3 pp.

RUSSIAN, per, Energomash, Leningrad, No 6, 1964, p 44.

CIA/FDD X-5473

USSR Biog Nov 64 FOR OFFICIAL USE ONLY



Computation of Temperature Fields and Stresses in the Cooled Rotor of a Gas Turbine on Starting, by S. A. Hokrushin, Ya. M. Gusak, 19 pp. RUSSIAN, per, Energomash, No 7, 1964, pp 11-15. 9698945 FTD-TT-65-1028

Sci - Engr Feb 66

296,386

Investigation of Pulse Distortions of Turbine Blades Using the Wave Method, by A. A. Moiseyev, A. A. Petrov and O. I. Mikhaylov, 11 g. HUBBIAN, per, Energonashinostroyeniye, No 7, July 64, pp 19-21.

JPHS 29566

USSR Sci-Engr Apr 65

277,761

The BEZ, 35550 HP Gas Turbine, by Ye. M. Brokonov, O. N. Alekseyev, 11 pp.
EUSSIAN, per, Energonashin, No 7, 1964, pp 23p25, 9698783
FTD-TF-65-938

Sci - Engr Bec 65

291,953

Effect of the Radial Temperature Eradient on Blade Twist in Axial-Flow Turbines, by Yu. I. Hityushkin, 8 pp. ELSSIAN, per, Energonashin, No 7, 1964, pp 26-28, 9698783 FTD-TT-65-938


Sci - Engr Lec 65


291,954


Calculation of the Distribution of Steam Parameters in a Turbino Stage with an Allowance for Radial Acceleration, by Il. Yo. Levina, P. A. Romanenko, 14 pp. RUSSIAN, per, Energomashinostroyeniye, No 7, 1964, pp 41-45, 9698238


Sci - Engr Doc 65


291,917











NCH-201 943

Field 9C, 20K

Gordon, E. Ya.
A METHOD FOR DETERMINING THE CRITICAL SPEEDS
OF A MULTISPAN HOTOR (Ob Odnom Metode
Opredeleniya Kriticheskikh Skoroatei Mnogoproletnogo
Rotors), 12 May 65, 14p (foreign text included),
TP/T-3671.
Order from NLL

Trans, of Energomashinostroenie (USSR) v10 a9 p15-22 1964.

1002 / 122 12 1965 3611

1. Associated Electrical Industries, Ltd., Trafford Park (England)

APPROVED FOR RELEASE: Tuesday, July 01, 2003

CIA-RDP91-00929R000200570047-7

Investigation of a Radial-Axial Turbecompressor
Turbine, by L. H. Oddvamev, A. P. Tundav, 12 pp.
RUSSIAN, per, Bergemarkinestreyening, No 9, 1964,
pp 23-26. Ph00364667
FID-HB-66-364

Sel-Physics
Jan 68

948,614

Cooling of Steam-Turbine Casings, by P.G. Tret'Yakov, B. L.
Levchenko.
RUSSIAN, per, Energomashinostroenie, Vol 10, No 9, 1964.
pp 8-36
NLL/9022.03 1965 3664

Sci Aug 67

336,852

Investigation Of Axial-Radial Diffusers., by M. P. Umanskii.

RUSSIAN, per, Energomashinostroenie.c. Vol 10, No Oct.(10)
1964, rp 8-11.

NILL/9022. 0, 1965 (9681))

Sci Sep 67 340,046